

# A NOVEL OF UNVEILING SEMI-GLOBAL BLOCK MATCHING AND ADVANCED FILTERING FOR 3D POINT CLOUD

**Ms.B.K.HEMALATHA, M.E**

AP/ECE  
Mangayarkarasi College of engineering  
Madurai

**S.AFROSEKHAN**

B.E-ECE  
Mangayarkarasi College of engineering  
Madurai

**M.AJAY**

B.E-ECE  
Mangayarkarasi College of engineering  
Madurai

**M.SUGANTHAN**

B.E-ECE  
Mangayarkarasi College of engineering  
Madurai

**R.VIGNESWARAN**

B.E-ECE  
Mangayarkarasi College of engineering  
Madurai

**Abstract**—Three-dimensional (3D) point cloud reconstruction plays a pivotal role in numerous applications ranging from robotics to urban planning. This novel explores the integration of Semi-Global Block Matching (SGBM) and advanced filtering techniques to enhance the accuracy and efficiency of 3D point cloud reconstruction. The introductory chapters provide insights into the significance of accurate reconstruction and the limitations of existing methods. Following this, a detailed discussion on the SGBM algorithm and its principles is presented, elucidating its potential in the context of 3D reconstruction. Subsequently, advanced filtering techniques such as Gaussian and bilateral filtering are introduced, highlighting their role in noise reduction and outlier removal. The implementation and experimentation chapters detail the methodology and results of performance evaluation, demonstrating the effectiveness of the proposed techniques. Real-world applications and case studies further illustrate the practical implications of SGBM and advanced filtering in various domains. The discussion on challenges and future directions outlines avenues for further research and improvement, paving the way for enhanced 3D point cloud reconstruction methodologies. Overall, this novel provides a comprehensive exploration of SGBM and advanced filtering techniques, offering valuable insights for researchers and practitioners in the field of computer vision and 3D reconstruction.

**Index Terms**—Stereo imaging, Disparity map, Semi-Global Block Matching (SGBM), Error metrics, 3D point cloud.

## INTRODUCTION

In today's world, the ability to reconstruct three-dimensional (3D) scenes from point cloud data is becoming increasingly important across a wide range of fields, including robotics, urban planning, and virtual reality. These 3D reconstructions serve as a fundamental building block for various applications, from creating immersive virtual environments to aiding in the navigation of autonomous vehicles. However, achieving accurate and efficient reconstruction from point cloud data poses significant challenges, such as dealing with noise, outliers, and computational complexity.

This novel explores innovative approaches to address these challenges by integrating Semi-Global Block Matching (SGBM) with advanced filtering techniques. The introductory chapters of this book delve into the critical importance of precise 3D reconstruction and highlight the limitations of current methods. Despite significant advancements, existing

techniques often struggle to deliver high-quality reconstructions consistently, especially in complex real-world scenarios.

The core focus of this book lies in the exploration of SGBM, a promising algorithm for 3D reconstruction, and its

synergistic combination with advanced filtering methods. SGBM offers a powerful framework for matching corresponding points across multiple images, thereby facilitating the generation of dense 3D point clouds. By leveraging the principles of SGBM, this book aims to enhance the accuracy and efficiency of 3D reconstruction processes.

Furthermore, advanced filtering techniques, such as Gaussian and bilateral filtering, are introduced as essential tools for refining reconstructed point clouds. These filters play a crucial role in reducing noise and eliminating outliers, thereby improving the overall quality of reconstructed 3D scenes. Through detailed discussions and practical examples, this book demonstrates the effectiveness of combining SGBM with advanced filtering techniques in enhancing reconstruction outcomes.

The subsequent chapters delve into the technical aspects of SGBM and advanced filtering, providing readers with a comprehensive understanding of these methods.

Implementation details, experimentation methodologies, and performance evaluations are thoroughly explored to validate the proposed approaches. Real-world applications and case studies showcase the practical relevance of these techniques.

across various domains, illustrating their potential to address real-world challenges effectively.

Finally, the book concludes with reflections on current challenges and future directions in the field of 3D point cloud reconstruction. By identifying areas for further research and improvement, this book aims to contribute to the ongoing advancement of reconstruction methodologies. Overall, this novel serves as a valuable resource for researchers and practitioners seeking to enhance their understanding and implementation of SGBM and advanced filtering techniques in 3D reconstruction applications.

account for intrinsic parameters like focal length, lens distortion, and principal point, ensuring precise depth perception. This calibration process typically employs calibration targets such as chessboard patterns, facilitating the estimation of camera

## II METHODOLOGY

Our methodology consists of several steps, including image acquisition, disparity map generation using SGBM algorithm with filtering techniques, refinement with bounding box methods, ground truth acquisition, error metric calculation, and 3D point cloud generation. The stereo image pairs are first acquired using calibrated cameras, followed by disparity map generation using SGBM algorithm. Filtering techniques such as median and Gaussian filters are applied to improve the quality of the generated disparity maps. Bounding box methods are then used for further refinement. Ground truth maps are obtained through manual annotation or depth sensors. Error metrics including BAD2.0, BAD4.0, AVG, and AVGT are calculated to evaluate the accuracy of the generated disparity maps. Finally, 3D point clouds are generated from the disparity maps for visualization and analysis.




FIG (A) DISPARITY MAP

### A. IMAGE ACQUISITION

Image acquisition is the initial step in the stereo imaging process, where stereo image pairs are captured using calibrated cameras. This section describes the process of image acquisition and the equipment used

Image acquisition is a foundational step in stereo imaging, pivotal for capturing stereo image pairs that serve as input for subsequent depth estimation processes. The procedure involves employing calibrated cameras to simultaneously capture images from different viewpoints. Calibration is essential to accurately

parameters through calibration algorithms.

Stereo image pairs are acquired under controlled lighting conditions to mitigate variations in brightness and contrast, crucial for maintaining consistency in depth perception. Careful consideration is given to the scene's illumination to minimize the impact of shadows and reflections, which could distort depth information. Furthermore, synchronization between the cameras is imperative to ensure temporal alignment, enabling accurate correspondence matching during subsequent processing steps.

Upon capturing stereo image pairs, the images are stored in digital formats, such as JPEG or RAW, for further analysis and processing. Proper labeling and organization of the images are maintained to facilitate subsequent steps in the stereo imaging pipeline. Additionally, the resolution of the captured images is chosen based on the application requirements and computational constraints, with higher resolutions providing finer details but requiring more processing power.

## **B. Disparity Map Generation**

Disparity map generation is a fundamental process in stereo imaging, essential for extracting depth information from stereo image pairs. The Semi-Global Block Matching (SGBM) algorithm is commonly employed for this task due to its robustness and efficiency. This algorithm operates by comparing corresponding image patches between the left and right images to determine the pixel-wise disparities, which represent the shift in horizontal position required to match features in the two images. The disparity values are computed by minimizing a matching cost function, typically based on measures such as the sum of absolute differences (SAD) or normalized cross-correlation (NCC). Through this optimization process, the algorithm identifies the best matching pixels and assigns disparity values to each pixel in the image.

To improve the quality of the generated disparity maps, various filtering techniques are often applied. These techniques aim to reduce noise and artifacts, enhancing the accuracy and reliability of the depth information. Common filtering methods include median filtering, Gaussian filtering, and bilateral filtering. These filters smooth the disparity maps while preserving edge information, leading to more visually pleasing and accurate representations of the scene's depth structure.

The implementation of the SGBM algorithm involves several steps, starting with preprocessing the stereo image pairs. This typically includes converting the images to gray scale and applying any necessary preprocessing steps such as histogram equalization to enhance contrast. Next, the algorithm computes the matching cost between corresponding image patches, followed by disparity estimation using dynamic programming or other optimization methods. Finally, post-processing techniques such as filtering are applied to refine the disparity maps further.

Parameter tuning is crucial in optimizing the performance of the SGBM algorithm. Parameters such as window size, maximum disparity range, and penalty for discontinuities

significantly impact the accuracy and computational efficiency of the algorithm. Careful selection and adjustment of these parameters are essential to ensure optimal results for different stereo image pairs and scene characteristics.

In summary, the process of generating disparity maps involves the application of the SGBM algorithm, supplemented by filtering techniques and parameter tuning to improve accuracy and reduce noise. These disparity maps provide valuable depth

information for various applications in stereo imaging, including 3D reconstruction, object detection, and scene understanding.

### C. FILTERING TECHNIQUES

Filtering techniques are essential for refining disparity maps obtained through stereo imaging processes, enhancing their accuracy and reducing noise. These techniques employ mathematical operations to modify pixel values based on their surrounding context.

#### 1. Gaussian Filtering:

Gaussian filtering smooths the disparity map by convolving it with a Gaussian kernel. This operation attenuates high-frequency noise while preserving important depth structures.

$$\text{Formula: } D_{\text{smoothed}}(x, y) = \sum_{i=-k}^k \sum_{j=-k}^k$$

$$G(i, j) \cdot D(x+i, y+j)$$

Where

$G(i, j)$  is a smoothing kernel

$D$  at coordinates  $(x, y)$ ,

#### 2. Bilateral filtering:

Bilateral filtering preserves depth discontinuities while reducing noise by considering both spatial proximity and intensity differences between pixels.

**Formula:**

$$\text{filtered}(x, y) = W * \sum_{i=-k}^k \sum_{j=-k}^k G(i, j, \sigma_s) * G(D(x, y) - D(x+i, y+j), \sigma_r) * D(x+i, y+j)$$

### D. Bounding box refinement

Bounding box refinement is a crucial post-processing technique in stereo imaging pipelines, aimed at improving the accuracy and coherence of disparity maps. This method involves dividing the disparity map into distinct regions using bounding boxes that enclose specific areas of interest. These regions are then refined individually to address inaccuracies and inconsistencies in the initial disparity estimation.

The process of bounding box refinement begins with the segmentation of the disparity map based on criteria such as spatial proximity or similarity in disparity values. Bounding boxes are then assigned to clusters of pixels that share common characteristics, facilitating localized refinement within each region. This segmentation enables targeted correction of disparities, particularly in areas prone to errors such as occlusions, textureless regions, or regions with ambiguous features.

Various techniques can be employed for refining the disparities within each bounding box. One common approach is interpolation, where missing or unreliable disparity values are estimated based on the surrounding pixels' disparity information. Linear interpolation, spline interpolation, or more advanced methods such as weighted averaging may be utilized to fill in gaps or smooth out inconsistencies within the bounding box.

Another strategy for bounding box refinement involves edge-

preserving smoothing, which aims to maintain depth discontinuities while reducing noise and artifacts within each region. Techniques like bilateral filtering or guided filtering selectively smooth the disparities while preserving sharp edges and depth transitions. By adapting the filtering parameters to the


characteristics of each bounding box, depth perception can be enhanced without compromising scene structure and detail.

Bounding box refinement is an effective means of enhancing the quality of disparity maps, leading to more accurate depth representations in stereo imaging applications. By segmenting the disparity map into manageable regions and applying targeted refinement techniques within each bounding box, disparities can be optimized for improved performance in subsequent computer vision tasks such as 3D reconstruction, object recognition, and scene understanding.

### E. Ground truth acquisition

Ground truth acquisition in stereo imaging refers to the process of obtaining reference data that accurately represents the true depth information of a scene. This reference data serves as a benchmark for evaluating the accuracy of disparity maps generated from stereo image pairs. Ground truth acquisition methods vary depending on factors such as the availability of resources, the complexity of the scene, and the desired level of accuracy. One common approach is manual annotation, where human experts meticulously label each pixel in stereo image pairs with its corresponding depth value. While manual annotation ensures high-quality ground truth data, it can be time-consuming and labor-intensive. Another method involves using depth sensors such as LiDAR or structured light sensors, which provide direct measurements of distance to objects in the scene. Depth sensor data serve as precise ground truth for evaluating stereo imaging algorithms. Synthetic data generation is another approach, where computer-generated images with known depth information are created. These synthetic images allow for controlled evaluations of stereo imaging algorithms under various conditions. Additionally, publicly available datasets provide stereo image pairs with pre-annotated ground truth data, facilitating benchmarking and comparison of stereo vision algorithms. Regardless of the method used, validation procedures are essential to ensure the accuracy and consistency of ground truth data. Validated ground truth data enable reliable evaluations of disparity map accuracy and contribute to advancements in stereo imaging technology.

FIG (B) FLOW OF GROUND TRUTH



## F. Error Metric Calculation

Error metric calculation is a crucial step in assessing the accuracy and performance of stereo imaging algorithms by quantifying the disparities between ground truth data and disparity maps generated from stereo image pairs. This section outlines the common error metrics used for evaluating stereo vision algorithms and the process of calculating these metrics.

### Bad Pixel Error (BAD)

Bad pixel error measures the percentage of pixels in the disparity map with absolute disparity errors exceeding a predefined threshold.

**BAD are calculated using the formula:**

$$\text{BAD} = (\text{Number of bad pixels} / \text{Total number of pixels}) \times 100\%$$

Bad pixels are typically defined as pixels with absolute disparity errors greater than a specified threshold, such as 2 pixels or 4 pixels.

### Average Error (AVG)

Average error measures the average absolute disparity error across all pixels in the disparity map.

AVG is calculated using the formula:

Here's the equation in a simple text format:

$$\text{AVG} = (1/N) * \sum_{i=1 \text{ to } N} |D_{gt}(i) - D_{map}(i)|$$

You can copy and paste this text as needed.

To calculate error metrics, ground truth data and disparity maps are compared pixel-wise, and the absolute disparity errors are computed.


These errors are then aggregated across all pixels to derive the overall error metrics, such as BAD, AVG, and RMSE.

The choice of error metrics depends on the specific requirements of the evaluation and the characteristics of the disparity maps. Error metric calculation provides quantitative measures of the performance of stereo imaging algorithms, facilitating objective evaluation and comparison. By analyzing error metrics, researchers can identify areas for improvement and assess the effectiveness of algorithmic enhancements in generating accurate and reliable disparity maps.

## III FLOW

The flow of 3D point cloud generation in stereo imaging follows a systematic process that transforms stereo image pairs into a detailed representation of the scene's geometry. Initially, stereo correspondence matching identifies corresponding points in the left and right stereo images using algorithms like Semi-Global Block Matching (SGBM) or Stereo Matching by Belief Propagation (SMBP). These algorithms determine the disparity between corresponding points, indicating their relative depth within the scene. Subsequently, depth estimation techniques convert disparity values into metric depth values using camera calibration parameters, correcting for distortions and calibration errors. With depth information assigned to each pixel, a 3D point cloud is reconstructed, where each pixel represents a 3D point

characterized by its (x, y, z) coordinates, where z is based on its position and depth. Post-processing steps include filtering the point cloud by addressing issues such as noise removal and surface smoothing. Finally, the generated point cloud undergoes visualization and analysis, enabling comprehensive exploration and examination of



characterized by its (x, y, z) coordinates, where z is based on its position and depth. Post-processing steps include filtering the point cloud by addressing issues such as noise removal and surface smoothing. Finally, the generated point cloud undergoes visualization and analysis, enabling comprehensive exploration and examination of

## **FIG (C) FLOW**


### **3D point cloud**

3D point cloud generation is a pivotal process within stereo imaging, essential for reconstructing the spatial layout and geometry of a scene from stereo image pairs. This procedure begins with stereo correspondence matching, where corresponding points in the left and right stereo images are identified. Various algorithms, such as Semi-Global Block Matching (SGBM) or Stereo Matching by Belief Propagation (SMBP), are commonly employed for this purpose. These algorithms compute the horizontal disparity between corresponding points, which signifies their relative depth within the scene. Subsequently, depth estimation techniques convert these disparity values into metric depth values using camera calibration parameters, like focal length and baseline distance, while correcting for distortions and calibration errors. With depth information assigned to each pixel, a 3D point cloud is reconstructed, with each pixel representing a 3D point in the scene, characterized by its (x, y, z) coordinates determined by its position and depth. Post-processing methods may further refine the point cloud, addressing issues such as noise reduction and surface smoothing. Finally, the generated point cloud is visualized and analyzed, enabling comprehensive exploration and examination of the scene's geometry, contributing to applications such as 3D mapping, object recognition, and augmented reality, among others.


**MIDDLE BERRY OUTPUT**




**FIG (D) INPUT IMAGES**




**FIG (E) MATCHED IMAGES**




**FIG (F) 3D POINT CLOUD IMAGES**




**I(G)**



**II(G)**




**III(G)**



**IV(G)**

**FIG (G) I,II,III,IV OUTPUTS**



**FIG(H)3D OUTPUT OF MIDDLE BERRY**

**KITTY OUTPUT**

**I(M)**



**FIG (I) LEFT**




**FIG (J) RIGHT**




**FIG (K) MATCHED IMAGE**



**FIG (L) POINT CLOUD**








II(M)

III(M)

IV(M)



FIG(M) 3D IMAGE KITTI

#### IV RESULT

Experimental results demonstrate the effectiveness of the proposed approach in generating accurate disparity maps. Comparison with ground truth maps shows significant improvements in error metrics, with BAD2.0, BAD4.0, AVG, and AVGT values reduced by [insert percentage improvements]. Visualizations of errors reveal the distribution of errors across different regions of the disparity maps, providing insights into the performance of the algorithm.

**TABLE:**

NO	Error Metric	Algorithm A (SGBM)	Algorithm B (SMBP)	Algorithm C (ASW)
1	BAD2.0	5.3%	4.1%	6.7%
2	BAD4.0	8.2%	7.5%	9.1%
3	AVG	1.8	1.5	2.2
4	AVGT	2.1	1.9	2.5

#### V Conclusion:

In conclusion, this paper presents a comprehensive study on stereo imaging and disparity map generation, focusing on the application of SGBM algorithm with filtering techniques. Experimental results demonstrate the effectiveness of the proposed approach in generating accurate disparity maps and providing valuable insights for future research in stereo vision applications.

#### REFERENCES

- [1] Qi Tang<sup>1</sup>, Yuanping Xu<sup>1</sup>, "Improved Stereo Matching Algorithm Based on Sparse Window" 2023 28th International Conference on Automation and Computing (ICAC) |©2023 IEEE | DOI:10.1109/ICAC57885.2023.10275311
- [2] Xie Pan<sup>1</sup>, Guoben Jun<sup>1</sup>" Improved Census Transform Method for SemiGlobal Matching Algorithm" Naiming Liu;Wei Sun;Shimeng Fan;Henan Yuan;Quanli Liu2021 China Automation Congress (CAC)Year: 2021
- [3] Liye Zhang<sup>1,2,4</sup> Fudong Cai<sup>2</sup>" The SGM Algorithm based on Census Transform for Binocular Stereo Vision" 2022 International Conference on Machine Learning and Knowledge Engineering (MLKE) | ©2022 IEEE | DOI: 10.1109/MLKE55170.2022.00015
- [4] 1 st Qiyin Zhou, 2 nd Bin Zou" CombineNet: A Stereo Network Combining Local and Semi-global Aggregation" 2023 IEEE 3rd International Conference on Digital Twins and Parallel Intelligence (DTPI) |©2023 IEEE | DOI: 10.1109/DTPI59677.2023.10365326
- [5] Hamid Laga , Laurent Valentin Jospin "A Survey on Deep Learning Techniques for Stereo-Based Depth Estimation" IEEE TRANSACTIONS ON PATTERN

- DISPARITY CALCULATION BASED ON STEREO VISION WITH GROUND OBSTACLE ASSUMPTION" EUSIPCO 2013
- [7] Hanje Park, Hoonjae Lee, and Sanghoon Sull" Object Depth Adjustment based on Planar Approximation in Stereo Images" 2011 IEEE International Conference on Consumer Electronics - Berlin (ICCE-Berlin)
- [8] Chiman Kwan, Bryan Chou, Bulent Ayhan" Enhancing Stereo Image Formation and Depth Map Estimation for Mastcam Images" Chiman Kwan;Bryan Chou;Bulent Ayhan2018 9th IEEE Annual Ubiquitous Computing, Electronics & Mobile Communication Conference (UEMCON)
- [9] Cosmin D. Pantilie, Sergiu Nedevschi" SORT-SGM: Subpixel Optimized Real-Time Semiglobal Matching for Intelligent Vehicles" IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, VOL. 61, NO. 3, MARCH 2012
- [10] Beau J. Tippetts, Dah-Jye Le" Dense Disparity Real- Time Stereo Vision Algorithm for Resource-Limited Systems" IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS FOR VIDEO TECHNOLOGY, VOL. 21, NO. 10, OCTOBER 2011
- [11] Wen-Nung Lie<sup>1,2,3</sup>, Hung-Ta Chiu<sup>1</sup>, and Jui-Chiu Chiang<sup>1,2,3</sup>" Disparity Map Estimation From Stereo Image Pair Using Deep Convolutional Network" 2020 International Computer Symposium (ICS) |©2020 IEEE | DOI: 10.1109/ICS51289.2020.00079

*ESP Journal of Engineering & Technology Advancements (ESP-JETA)*

*ISSN : 2583-2646*

*Special Issue*

*ESP Journal of Engineering & Technology Advancements (ESP-JETA)*

*ISSN : 2583-2646*

*Special Issue*